



# **TSM TOWARDS A CLEANER WORLD**

The air we breathe becomes every year more toxic due to the  ${\rm CO_2}$  increase. Wordwide municipalities are placing more and more attention to the environment, understanding the urgency of reducing pollutants agents to protect the territory and the quality of life.


Research and development of new technologies with low environmental impact have been accelerated worldwide to meet the increasingly felt need to limit  ${\rm CO_2}$  emissions in the air.

From the very beginning, TSM has imagined the "green" future of the professional cleaning sector, investing continuously in research and development of solutions that were unique in the market and with ZERO ENVIRONMENTAL IMPACT.

The outdoor vacuum ARIA 240 and the sweeper ITALA 135 are proof of this. 100% ELECTRIC SOLUTIONS for the cleaning of our cities.

TSM, acronym of Technological Systems by Moro is a company located in the town of Fiume Veneto in the north east of Italy, in the same territory which tells the passion, the knowledge and the achievements of a dynasty of manufacturers of











MALAYRIA


more than 60 countries.

# >> HOW IT WORKE

ITALA 135 is the electric outdoor sweeper by TSM which stands out for having ZERO ENVIRONMENTAL IMPACT. It doesn't produce  $CO_2$  emissions and thanks to its powerful filtering system, fine particles remain trapped and are not released into the environment during the sweeping tasks.



All functions are electric therefore the noise emissions are reduced only to the noise of the brushes on the ground, offering the possibility to work at any time of day or night. The advantages of ITALA 135 are related to its high productivity. The mechanical system allows to collect even voluminous materials, which combined with the suction system with water spray on the front brushes allows a total reduction of fine particles.



inside the hopper

The conveyed waste by the frontal brushes is collected by the central brush and thrown



# >> HOW IT WORKE

ARIA 240 is the electric outdoor vacuum by TSM which stands out for having ZERO ENVIRONMENTAL IMPACT. It doesn't produce CO2 emissions and not released into the environment during the tasks.

thanks to its powerful filtering system, fine particles remain trapped and are ARIA 240 is equipped with an electric traction system that allows the operator to move easily in the city center, leaving ample freedom of movement in the

aria

# **VACUUM HOSE**

The waste is sucked through the hose supported by the operator and flows to the hopper

aspiration of any waste.

### FILTERING SYSTEM

The filter mounted vertically allows a complete and optimal use of the same, guaranteeing the operator long suction performance. The air that is released into the atmosphere is completely purified and free of fine dust



# CONTROL LEVER

The electric traction of Aria 240 is controlled by the front lever. To move forward, simply push the lever forward, otherwise by pushing it backwards Aria 240 will reverse. The speed is established by the operator, directly on the console

#### NO NOISE

Itala 135 and Aria 240 can take advantage of both night and early morning hours to clean city centres, without interruption to people.



# >> UNDTOPPABLE WORKERD







1960

1980

2000



# **BROOM AND SHOVEL**

NB

# TRADITIONAL VEHICLE



OBSOLETE TOOLS, WITH MANUAL ACTIVITIES

EFFECTIVENESS DEPENDS ON THE OPERATOR

NON-UNIFORM QUALITY BETWEEN OPERATORS

TIME INCREASES BECAUSE ARE TASKS ARE TOUGH

NO LIMITS IN THE TIME OF USE

NO LIMITS IN THE USE

ACCESS TO CENTRAL AREAS

NO LIMITS OF DIMENSIONS AND WEIGHT

ANTIGENIC, DO NOT PROTECT FROM THE DIRT

DO NOT REQUIRE EXPERIENCE

DO NOT REQUIRE BIG INVESTMENTS

DEMEAN THE OPERATOR

DO NOT GIVE REFERENCE

MECHANICAL VEHICLES, WITH PETROL ENGINES +

EFFECTIVENESS NOT RELATED TO THE OPERATOR ++

UNIFORM RESULTS, NOT RELATED TO THE OPERATOR 🕂

LESS TIME, BUT WITH FUEL REFILL 🕂

LIMITS IN THE TIME OF USE DUE TO THE NOISE

LIMITATIONS OF USE DUE TO CO2 EMISSIONS

LIMITED ACCESS TO CENTRAL AREAS

LIMITS ON DIMENSIONS AND WEIGHT

NEGATIVE IMPACT ON ENVIRONMENT AND PEOPLE

LIMITED TO EXPERT OPERATORS WITH DRIVING LICENSE

REQUIRE BIG INVESTMENTS

INCREASE MOTIVATION 🕂

DO NOT GIVE REFERENCE









INNOVATIVE VEHICLES. WITH ECOLOGICAL MOTORS ++ **CONSTANT EFFECTIVENESS**, NOT RELATED TO THE OPERATOR UNIFORM RESULTS, NOT RELATED TO THE OPERATOR ++ NO STOPS. AUTONOMY OF A COMPLETE WORKING SHIFT NO NOISE >>> NO LIMITS IN THE TIME OF USE ++ ZERO CO2 EMISSIONS >>> NO LIMITS IN THE USE ++ TOTAL ACCESS TO CENTRAL AREAS ++ COMPACT DIMENSIONS AND REDUCED WEIGHT ZERO IMPACT ON ENVIRONMENT AND PEOPLE \* EASY TO USE. DRIVING LICENSE NOT NEED ++

ECONOMICAL WITH LOW MAINTENANCE COSTS ++ INCREASE MOTIVATION AND VALUE CLEANING TASKS

GIVE REFERENCES TO THE COMPANY RESPONSIBLE FOR CITY CLEANING ++





# >> DIQTINCTIVE FEATURED



### NEBULIZER IN THE BIN

for dust suppression, deodorize, disinfect and prevent any combustions

## WATER TANK

30 Lt of water to be used also with the addition of chemical for sanitizing and perfuming the bin



#### WASHABLE POLYESTER FILTER

to filter fine particles up to 0.5 microns, returning a completely cleaned air





# **ULTRA LIGHT HOSE**

The hose in carbon fiber allows a total freedom of movements



Extra bag compartment to ensure the continuity of cleaning tasks during the day





# NEBULIZER ON THE HOSE

Nebulizer on the hose to extinguish any cigarette butts still lit.



Wheels of the same size between front and rear guarantee high stability on any type of surface. Aria 240 easily overcomes obstacles and kerbs without risk of overturning



### FREE MAINTENANCE BATTERIES

GEL batteries has an autonomy off > 10 hours depending on the use. The on-board charger allows easy charging







### **SAFETY DEVICES**

Fire extinguisher, horn, reverse buzzer, reflectors, parking brake, automatic stop with filter opened, functions auto-switch off with minimum autonomy to transfer Aria 240 to the nearest power socket





## \* REAR **DISPLAY**

The rear display for advertising purposes

# **USER FRIENDLY** CONSOLE


Hour counter Battery indicator Speed regulator Vacuum On/Off Working light



# \* WORKING LIGHTS

Powerful LED lighting to work at any time of day





# \* FULL BIN SENSOR

Warning buzzer and led on when the bin is full for emptying to keep working



Broom, litter picker and bucket to collect the waste that does not pass through the suction hose





The standard urban bin with a capacity of 240 liters. Can be used without or with bag, using the convenient quick-draw holder



# 2401TAYONNI <<

# THE POWER OF THE 5 VERDION

aria 240 Super

The S stands for "SUPER" for the outstanding and innovative features mounted that make the TSM ARIA 240 incredibly efficient. TSM ARIA 240 Super comes equipped with a mechanical support for the hose which both facilitate the movements during the tasks and eliminates curves of the hose so the suction is always powerful even with voluminous waste. It has also the on board automatic filter cleaning system, which is automatically timed to clean the filter and the operator avoids to stop frequently to clean it manually throughout the day. TSM ARIA 240 Super is the only urban vacuum designed to reduce the operator's efforts during prolonged cleaning activities.

**AUTOMATIC CLEANING** 8 bar of power with the extra air gun for the cleaning finishing





WHAT OFFERD MORE

- MECHANICAL SUPPORT FOR THE HOSE
- ON BOARD AUTOMATIC FILTER CLEANING
- AIR GUN FOR FINISHINGS

Benefits

- REDUCTION EFFORTS FOR THE OPERATOR
- MORE SUCTION **POWFR**
- **CONTINUOUS POWER** SUCTION
- TIME SAVINGS N THE FILTER **MAINTENANCE**





# ariamatic 240 Super

THE 12T OUTDOOF VACUUM



- ZERO EFFORTS FOR THE OPERATOR
- FREEDOM OF MOVEMENTS
- FOCUS ON THE ONLY CLEANING TASK
- TIME SAVINGS IN THE CLEANING TASKS



# ARIAMATIC IS THE FIRST AUTONOMOUS DRIVEN **OUTDOOR VACUUM**

equipped with the innovative FOLLOW ME system able to follow the operator's movements, offering **absolute** versatility and working autonomy. ARIAMATIC detects obstacles, ensuring the safety of people and things that surround in the environment, leaving to the operator the sole task of directing the vacuum hose to the waste and ARIAMATIC will promptly follow its operator.

# >> DIQTINCTIVE FEATUREQ

# Itala 135

# CONTROL LEVERS Comfortable and ergonomic brush management. The red lever of the central brush, if pressed, adjusts the pressure of the same to the ground

# WASHABLE POLYESTER FILTER to filter fine particles up to 0.5 microns, returning a completely cleaned air

# \* ON BOARD RAMPS

To easily overcome obstacles and kerbs



# **WORKING LIGHTS**

Powerful LED lighting to work at any time of day



# ULTRA LIGHT WANDER HOSE

The carbon hose allows the cleaning finishing in areas difficult to reach like flowerbeds, benches and between racks of bicycles



Nebulizers on the frontal brushes for suppressing the dust during sweeping



### \* OPERATOR'S CHARIOT

It is added to Itala 135 with a "click". It is really useful when the operator is requested to clean an extended area



#### FREE MAINTENANCE BATTERIES

GEL batteries has an autonomy of >7 hours depending on the use.

The on-board charger allows easy charging







#### SAFETY DEVICES

Fire extinguisher, horn, reverse buzzer, parking brake, automatic stop with hood opened, functions auto-switch off with minimum autonomy to transfer Itala 135 to the nearest power socket





## \* GLOVE COMPARTMENT

Lockable compartment to safely store personal belongings, such as gloves, water bottles, etc.





### WATER TANK

30 Lt of water to be used with the anti-dust system



### FRONTAL EXTRA BIN

It allows to collect the voluminous waste that the operator may find on the way





### HOPPER

The 135 Lt hopper has the shape of an ergonomic wheelbarrow, which allows an easy and fast transfer. It can be used without or with bag, using the convenient quick-draw holder



# \* TOOLS KIT

Handy broom and litter picker to avoid touching the voluminous waste with hands
























135 ST

135 BT

| Runs on                   | -      | Petrol (Honda)     | Battery 24 V       |
|---------------------------|--------|--------------------|--------------------|
| Motor power               | Kw     | 4.10               | 1.90               |
| Working time              | h      | ∞                  | > 7                |
| Coverage performance      | m²/h   | 5500               | 6500               |
| Traction                  | -      | Oleodynamic        | Electric           |
| Maximum speed             | Km/h   | 6.5                | 6.5                |
| Main sweeping path        | mm     | 600                | 600                |
| With 1 side brush         | mm     | 925 - 975          | 925 - 975          |
| With 2 sides brushes      | mm     | 1250 - 1350        | 1250 - 1350        |
| Hopper capacity           | L      | 135                | 135                |
| Filter                    | -      | Polyester panel    | Polyester panel    |
| Filtering surface         | m²     | 3                  | 3                  |
| Maximum slope             | %      | 20                 | 20                 |
| Sound power level         | Db (A) | 80                 | 70                 |
| Batt. compartment (LxWxH) | mm     | -                  | 580 x 450 x 450    |
| Weight without batteries  | Kg     | 330                | 350                |
| Dimensions (LxWxH)        | mm     | 2000 x 1270 x 1140 | 2000 x 1270 x 1140 |





















| Supply                    | -              | Battery 24 V        |
|---------------------------|----------------|---------------------|
| Total power               | Kw             | 2.8                 |
| Working time              | h              | > 10                |
| Maximum speed             | Km/h           | 6                   |
| Vacuum motor              | W              | 1500                |
| Hopper capacity           | L              | 240                 |
| Hose length/Ø             | mm             | 3600 / 120          |
| Hose support              | -              | Mechanical          |
| Nebulizer                 | -              | Yes - doble         |
| Filter                    | -              | Polyester cartridge |
| Filtering surface         | m <sup>2</sup> | 14                  |
| Filter cleaning system    | -              | Automatic           |
| Twin front wheels         | -              | Yes - standard      |
| Maximum slope             | %              | 20                  |
| Noise level               | Db (A)         | 68                  |
| Batt. compartment (LxWxH) | mm             | 716 x 410 x 490     |
| Weight without batteries  | Kg             | 330                 |
| Dimensions (LxWxH)        | mm             | 1920 x 980 x 1825   |





















# ariamatic 240 Super

| Supply                    | -              | Battery 24 V        |
|---------------------------|----------------|---------------------|
| Total power               | Kw             | 2.8                 |
| Working time              | h              | > 10                |
| Maximum speed             | Km/h           | 6                   |
| Vacuum motor              | W              | 1500                |
| Hopper capacity           | L              | 240                 |
| Hose length/Ø             | mm             | 4100 / 120          |
| Hose support              | -              | Mechanical          |
| Nebulizer                 | -              | Yes - doble         |
| Filter                    | -              | Polyester cartridge |
| Filtering surface         | m <sup>2</sup> | 14                  |
| Filter cleaning system    | -              | Automatic           |
| Twin front wheels         | -              | Yes - standard      |
| Maximum slope             | %              | 20                  |
| Noise level               | Db (A)         | 68                  |
| Batt. compartment (LxWxH) | mm             | 716 x 410 x 490     |
| Weight without batteries  | Kg             | 380                 |
| Dimensions (LxWxH)        | mm             | 1920 x 980 x 1825   |









# CAMPUS MALLS SCHOOLS SUBWAYS HOSPITALS

# ecological RolutionR for any environment

designed to be leaders in the urban cleaning with ZERO ENVIRONMENTAL IMPACT, thanks to their exceptional ratio between performance, purchasing and operating costs

TRANDFERABLE
ANYWHERE IN A BIT

easily transportable to strategic points of the city





TPLAIN STATIONS APPROPHS

TPADE CENTERS





PARKO & GARDENO



induatrial facilities




CITY CENTRED



BATHING ectablichments









Contact all branches

p: **1300 347 347** | f: 1300 348 348

e: sales@centralcleaning.com.au www.centralcleaning.com.au

Victoria | New South Wales | Tasmania | South Australia | Queensland | Western Australia